

# BOSTITCH®



Carton Closing | Packaging  
**Tools & Fasteners**

**BOSTITCH**

# World class technology and expertise in carton closing & packaging

Since 1896, Bostitch has been designing and manufacturing tools and fasteners for a wide variety of applications and industries.

With over 500 million fasteners made every day, Bostitch is one of the largest manufacturers of nailing & stapling tools and fasteners in the world.

We are committed to delivering a dedicated range for carton closing and packaging environments and to achieve this, we make sure that we listen to our customers' commercial needs.

To make sure our tools match our reputation, we go to extremes to ensure that every tool bearing our name is more than capable of providing years of safe, reliable and trouble free service.

## **The reassurance of global leadership**

**BOSTITCH** is part of the **Stanley Black & Decker** organisation, the global leader in tool manufacture across a wide range of industries.

No company on earth has a stronger or more compelling history of delivering the hardworking, innovative, powerful tools that help professionals around the world keep working.

- **\$11 billion value on worldwide markets**
- **Global recognition with an outstanding portfolio of global brands**
- **Recognised as among the top 10 global innovators**
- **No.1 for worldwide tool manufacture with outstanding quality control**




# CONTENTS

## Carton Closing

4-12

### TOP SEALING



### BOTTOM SEALING



### INTRODUCTION CHOOSING THE RIGHT TOOL & FASTENER

4-5  
6-7

#### CORDLESS STICK TOOLS

DSA-3519-U  
DSA-3522-U

8  
8

#### MANUAL STICK TOOLS

MS-3219-E  
MS-3519-E  
MS-3522-E  
MS-SW19-E  
MS-SW22-E

9  
9  
9  
9  
9

#### PNEUMATIC STICK TOOLS

DS-3219-E  
DS-3519-E  
DS-3522-E  
DS-SW19-E  
DS-SW22-E  
D31AD-E

9  
9  
9  
9  
9  
10

#### PNEUMATIC ROLL TOOLS

RAB-19-E  
RAB-22-E  
D62ADC-E

11  
11  
11

#### MANUAL STICK TOOLS

FSSW

12

## Packaging

13-17

### HEADER CARDS, POSTAL TUBES, BAGS & WRAPPING



### INTRODUCTION & TOOL SELECTION

13

#### PACKAGING PLIERS

P6C-6  
P6C-8  
JB600  
P51-5B-E  
P51-10B-E  
ESD-450S2P

14  
14  
14  
15  
15  
15

#### HAMMER TACKERS

H30-8-E  
PC2K  
BHT150C

16  
16  
16

#### SQUEEZE TACKERS

T6 SERIES

16

#### 'WALKING STICK' STAPLER

438S2-1-WS

17

## Fastener Range Summary

18-19

# CARTON CLOSING

## STAPLES - THE SOLUTION FOR YOUR BUSINESS

Whilst there are many different ways of sealing cartons, using staples offers some significant advantages over other methods.

As well as being incredibly quick and easy to use, staples are environmentally friendly and 100% recyclable and do not hide important carton graphics. Their resistance to both heat and humidity also provides an extremely secure seal, protecting the contents throughout the supply chain. Stapling can also be a more cost effective method over other options such as self adhesive tape.





## Choose from **cordless,** **manual or pneumatic tools...**

### **TOOLS - TO SUIT YOUR WORKFLOW**

Depending on the size of your operation and whether you need portability you can select from cordless, manual or pneumatic packaging tools as well those that use strips of staples or those collated on a roll. Our range also includes models incorporating features such as hanging ports for heavier tools, resulting in less stress and strain for operators - all important for maximum productivity.

See overleaf to help you select the right tools and staples for your business.

# CARTON CLOSING TOP SEALING



## Getting the right tool and fastener

Bostitch Top Sealing tools are designed to offer dependable performance in light, medium or high volume packaging environments.

The range includes portable cordless and manual tools as well as pneumatically operated tools for higher volumes



**Manual Tool**



**Cordless Tool**



**Pneumatic Tool**

To help choose the right tool and fastener combination to satisfy your requirements, follow the selection process below.

### 1. What volumes do you do and how portable does the tool need to be?



LOW



MEDIUM



HIGH



### 2. Choose the staple format best suited to your working environment

#### STICK OR ROLL FORMAT STAPLES?



STICK

ROLL

**STICK** format staples are collated into sticks and tools can be loaded with up to two sticks at a time. Suitable for low and medium volumes.

**ROLL** format staples are collated rolls of up to 5000, therefore containing many times more staples per


roll than is found on a **STICK**. Tools using **ROLL** format staples will need fewer reloads, making these more appropriate for continuous production line carton closing. However, tools using **ROLL** staples tend to be heavier when loaded - it is advisable to specify these tools with suspension wires to minimise operator fatigue.

### 3. What board thickness is the carton?


#### Single Wall



#### Double Wall




#### Triple Wall




### 4. Choose the right staple for the task

#### STAPLE TYPES


There are 3 important measurements on a carton closing staple - **Crown**, **Leg** and **Wire dimension**. The holding power of a clinched staple is dependent on all these measurements. For convenience, Bostitch carton closing staples are divided into families and are represented by a symbol to make identification easy.



#### Standard Clinch



#### Blind Clinch



#### CLINCH TYPES

In most top sealing applications, a **standard clinch** - where the staple passes through both materials and is clinched at the surface - is required.

However, in some instances, a **blind clinch** is preferred. In a blind clinch, a shorter staple is used and is clinched **before** it fully penetrates the second layer as shown above.


# CARTON CLOSING TOP SEALING

5.

Choose the right tool and fastener combination

**i Remember!** The wider the crown and the thicker wire, the more secure the fastening will be.

## Stick Format Tools

Stick Format Tools							
Cordless		N/A	DSA-3519-U	DSA-3522-U	N/A	N/A	N/A
Manual		MS-3219-E	MS-3519-E	MS-3522-E	MS-SW19-E	MS-SW22-E	N/A
Pneumatic		DS-3219-E	DS-3519-E	DS-3522-E	DS-SW19-E	DS-SW22-E	D31AD-E
Staple Family		 32mm Crown 0.9mm x 1.9mm	 35mm Crown 0.8mm x 2.25mm	 35mm Crown 0.95mm x 1.93mm	OR  35mm Crown 0.95mm x 2.28mm	 32mm Crown 1.52mm x 2.28mm	
Board Type / Staple Length	 Single Wall	15-19mm	15-19mm		15-19mm		
	 Double Wall	19mm	19mm	19-22mm	19mm	19-22mm	
	 Triple Wall						25-38mm*

\*Comes pre-fitted with clinchers for 38mm staples. Please ask for details.

## Roll Format Tools

Roll Format Tools			
Pneumatic		D62ADC-E	RAB-19-E RAB-22-E
Staple Family		 35mm Crown 0.94mm x 1.88mm	 35mm Crown 0.9mm x 2.25mm
Board Type / Staple Length	 Single Wall	15-19mm	15-19mm
	 Double Wall	19mm	19mm 19-22mm

**i**

The **Bostitch** range of staples offers secure and reliable fastening, time and after time.

Many of the staples in the range are **fully compatible** with other tools in the market. For more information, please contact **Customer Services**.



# CARTON CLOSING TOP SEALING STICK STAPLES

## Cordless Top Sealer DSA Series

The battery powered **DSA-3519-E** and **DSA-3522-E** gives users true portability and includes a range of features to deliver superb performance in any location.

The tool comes complete with 2 Lithium-Ion batteries driving up to 800 staples per charge, so whether on a packaging line or out on the road you can keep working all day long.



Board type			Model	Staple Type
Single wall	Double wall	Triple wall		
✓	✓	-	DSA-3519-U	A
-	✓	-	DSA-3522-U	

### Tool features:

**Li-Ion** 2x Li-Ion batteries with fast 45 min recharge time and up to 800 staples per charge

**Smooth base plate** for faster stapling

**Quick staple length change** when working on different cartons

**Secondary safety handle** for safe operation

**Mounting lug** for wire support, reduces user fatigue



# CARTON CLOSING TOP SEALING STICK STAPLES

## Manual Top Sealer MS-Series



Fitted with a comfortable to use top grip and made from rugged aluminium, these manually operated tools are ideal for lower volumes of top sealing for single and double wall cartons.

### Tool features:



**Manual tool**- no air supply required & highly portable



Board type			Model	Staple Type
Single wall	Double wall	Triple wall		
✓	✓	-	MS-3219-E	C
✓	✓	-	MS-3519-E	A
-	✓	-	MS-3522-E	
✓	✓	-	MS-SW19-E	SW9040
-	✓	-	MS-SW22-E	or SW7437



## Pneumatic Top Sealer DS-Series

Built for larger volumes, these tools are pneumatically operated, providing a consistent clinch with minimal effort.

Ideal for despatch lines, they provide consistent top sealing time after time.

### Tool features:



**Pneumatic tool**- reduces fatigue in busy packing environments



**Hand pad**- comfortable housing cover



**Mounting lug**- for wire support, reduces user fatigue



**Rear exhaust**- directs air away from the operator



Board type			Model	Staple Type
Single wall	Double wall	Triple wall		
✓	✓	-	DS-3219-E	C
✓	✓	-	DS-3519-E	A
-	✓	-	DS-3522-E	
✓	✓	-	DS-SW19-E	SW9040
-	✓	-	DS-SW22-E	or SW7437



# CARTON CLOSING TOP SEALING STICK STAPLES

## Pneumatic Heavy Duty Top Sealer D31AD-E



The pneumatically driven **D31AD-E** is the largest tool in our top sealing range. It is extremely powerful and makes light work of clinching triple wall cartons or materials with a combined thickness of up to 22mm.

Board type			Model	Staple Type
Single wall	Double wall	Triple wall		
-	-	✓	D31AD-E	SW9060

### Tool features:



**Pneumatic tool**- reduces fatigue in busy packing environments



**Mounting lug**- for wire support, reduces user fatigue



**Rear exhaust**- directs air away from the operator



# CARTON CLOSING TOP SEALING ROLL STAPLES

## Pneumatic Top Sealer RAB-Series

Ideal for busy production environments, both the **RAB Series** and the **D62ADC-E** pneumatic tools use staples collated on rolls for minimal reloading and also feature comfortable hand pads and mounting lugs. They're the popular choice of operators working on busy packing lines.



### Tool features:



**Pneumatic tool-** reduces fatigue in busy packing environments



**Hand pad-** comfortable housing cover



**Mounting lug-** for wire support, reduces user fatigue



**Rear exhaust-** directs air away from the operator



Uses rolls of 1000 staples



Board type		Model	Staple Type
Single wall	Double wall		
✓	✓	RAB-19-E	AR
-	✓	RAB-22-E	

## Pneumatic Top Sealer D62ADC-E

Built for larger volumes and heavy applications where a wider wire gauge is needed, these tools are the largest 'roll' tools in the range.

### Tool features:



**Pneumatic tool-** reduces fatigue in busy packing environments



**Hand pad-** comfortable housing cover



**Mounting lug-** for wire support, reduces user fatigue



**Rear exhaust-** directs air away from the operator



Uses rolls of 1000 staples

Board type		Model	Staple Type
Single wall	Double wall		
✓	✓	D62ADC-E	SWC7437





# CARTON CLOSING BOTTOM SEALING

## Foot Bottomers

### Fast, efficient bottom sealing

Designed for stapling the bottom of cartons by using a fixed anvil post, these foot-operated tools are a vital part of a productive packing line. They can be used to seal the bottom of single or double-walled cartons quickly and easily.

#### Tool features:



**Manual tool**-  
no power supply required



		Stick Format Tools	
<b>Model</b>		<b>FSSW</b>	
<b>Staple Family</b>			
<b>Board Type / Staple Length</b>	<b>Single Wall</b>	<b>15-19mm</b>	<b>15-19mm</b>
	<b>Double Wall</b>	<b>15-22mm</b>	<b>15-22mm</b>



# PACKAGING PLIERS

## A solution for every situation

As well as carton closing, the Bostitch range includes tools and fasteners designed for both general and specialised packaging applications, including sealing header cards, postal tubes, bags and wrapping.

Based on volumes and/or application the range includes both pneumatic and manual tools to meet the needs of all sizes of packaging environments.

Using the chart opposite, decide on the likely use and select from a manual or pneumatic plier.

Select tool

### PLIER TOOL SUMMARY

Each plier type has features applicable to certain applications and packaging environments:



#### P6C-6 and P6C-8



Basic stapling pliers, ideal for small, light duty applications.



#### JB600



Pneumatic plier designed for light duty, medium volume environments.



#### P51-Series and ESD-450S2P



Pneumatic pliers for higher volume carton sides, lids and heavier duty applications.

LOW	MEDIUM	HIGH
<b>Model</b> P6C-6 P6C-8	<b>Model</b> JB600 ESD-450S2P	<b>Model</b> P51-Series ESD-450S2P

**Remember!** The wider the crown and the thicker wire, the more secure the fastening will be.


Staple Family	10mm Crown		12.7mm Crown		25mm Crown
	STCR 2619	STCR 5819	SB5019	SB103020	S2
	0.6 mm x 0.5mm	1.3 mm x 0.5 mm	0.48mm x 1.3mm	0.51mm x 2.61mm	1.4mm x 1.6mm
Tool Staple Length	P6C-6	6-10mm			
	P6C-8		6-10mm		
	JB600		6-10mm		
	P51-5B-E			10-15mm	
	P51-10B-E				10-15mm
	ESD-450S2P				

## HIGH POWER STAPLING.

## POWER CROWN

The unique shape of Bostitch PowerCrown staples gives you more penetration with less effort.

Available in a wide range of lengths they are ideally suited to fastening paper, card and light plastics such as end caps, carded and uncarded bag tops, trays and small boxes.



# PACKAGING PLIERS

## Plier P6C Series

### P6C-6 and P6C-8



Lightweight squeeze tacker with easy, top loading magazine.

**Ideal for:**

- Small carton lids
- Polythene bag sealing
- Card topped bags
- Card/ padded envelopes
- General stapling



Model	Staple Type
P6C-6 (6-10mm)	10mm Crown  0.6 mm x 0.5mm
P6C-8 (6-10mm)	10mm Crown  1.3 mm x 0.5 mm

**Tool features:**



**Manual tool-** no air supply required & highly portable



**Uses PowerCrown staples-** for greater power



## Pneumatic Plier JB600

Pneumatic squeeze tacker designed for repetitive fastening.

Top loading magazine for easy loading of PowerCrown staples.

**Ideal for:**

- Endcaps for tubes and packs
- Small carton lids
- Polythene bag sealing
- Card topped bags



Model	Staple Type
JB600 (6-10mm)	 STCR 5019

**Tool features:**



**Pneumatic tool-** reduces fatigue in busy packing environments



**Uses PowerCrown staples-** for greater power



# PACKAGING PLIERS

## Pneumatic Plier P51-Series

### P51-10B-E and P51-5B-E

The versatile P51 Series pliers are compact and lightweight pneumatic pliers. The deep jaw depth of 150mm means that they can be used across a wide variety of applications, from carton lids and trays through to sealing end caps for postal and storage tubes.

The P51 series pliers can also be fitted with an optional C-blade attachment.



Model	Staple Type
P51-5B-E (10-15mm)	
P51-10B-E (10-15mm)	

#### Tool features:

- Pneumatic tool-** reduces fatigue in busy packing environments
- Mounting lug-** for wire support, reduces user fatigue
- 150mm jaw depth-** for easy stapling away from the edge

## Pneumatic Plier ESD-450S2P

The ESD-450S2P pneumatic plier is the heavy duty model compared to the P51 series.

Using the much larger S2 staple, it is designed specifically for applications requiring clinching of more than 6 layers of cardboard such as end caps or spacers.

With a deeper jaw depth of 200mm it can also reach further into the material.



Model	Staple Type
ESD-450S2P (25-50mm)	

#### Tool features:

- Pneumatic tool-** reduces fatigue in busy packing environments
- 200mm jaw depth-** for easy stapling away from the edge

# PACKAGING HAMMER TACKERS/ SQUEEZE TACKER

## Hammer Tackers H30-8-E, PC2K & BHT150C

### Rugged & dependable

Bostitch tackers are built with the same care and attention to detail as our heavy duty tools and are designed for versatile tacking in production environments.

Ideal for a whole range of packaging applications, these tools are the perfect workhorses for despatch bays and production lines alike.



Model	Staple Type
H30-8-E (6-10 mm)	10 mm Crown  1.3 mm x 0.5 mm
PC2K (6-12 mm)	10.7 mm Crown  0.4 x 0.5 mm

### H30-8-E



The **H30-8-E** is ideal for despatch labels and general tacking.

### PC2K



Perfectly balanced with an ergonomic design, the **PC2K** makes light work of slam tacking jobs. Ideal for case lining and insulation.

### BHT150C



Heavy duty hammer tacker that drives standard staples from 6-14mm. Includes full-rubber grip to absorb shock and protect hand.

## Squeeze Tackers T6 Series

### PC8000/T6 & PC8000/T6-KIT

The PC8000/T6 series is precision engineered with an easy-grip handle, steel nose plate and rugged construction to make this tool powerful yet simple to use.

Designed with an anti jam magazine for easy maintenance, it is robust enough to withstand the rigours of a production environment.



The tools shown on this page use the unique PowerCrown staple - for greater power than a conventional staple.

Fastener	10mm Crown  1.3 mm x 0.5 mm					
	6mm	8mm	10mm	12mm	14mm	
Tool	PC8000/T6	✓	✓	✓	✓	✓
	PC8000/T6-KIT	✓	✓	✓	✓	✓

## Walking Stick

438S2-1-WS (19-38mm)

Specifically designed for sealing oversized folding boxes and fastening them to pallet bases, this practical tool is lightweight and easy to place. Its long handle makes it comfortable to use all day long.



Model

438S2-1-WS  
(19-38mm)

Staple Type

S2

### Tool features:



**Pneumatic tool** - reduces fatigue in busy packing environments



**Aluminium Housing** - durable and lightweight for all day use






# FASTENER RANGE & COMPATIBILITY

## The right tool & fastener for the job

To help select the right staple for your needs, these staples are shown at **actual size** - allowing you to compare materials or staples as a guide to selection.

**i** To view the complete range of **carton closing & packaging staples**, please visit [www.bostitch.co.uk](http://www.bostitch.co.uk).

## Carton Closing Staples (Page 4-11)




STAPLE FAMILY	CROWN WIDTH	LENGTH	SKU	FINISH	DESCRIPTION	QUANTITY PER BOX
C	32	15	1301500Z	LIQUOR	C/32 CARTON STAPLES 15MM LIQUOR 2M	2000
C	32	18	1301800Z	LIQUOR	C/32 CARTON STAPLES 18MM LIQUOR 2M	2000
SW9060	32	38	SW90601-1/2	LIQUOR	SW9060 CARTON STAPLES 38MM 4M	4000
A	35	15	1331500Z	LIQUOR	A/35 CARTON STAPLES 15MM LIQUOR 2M	2000
A	35	18	1331800Z	LIQUOR	A/35 CARTON STAPLES 18MM LIQUOR 2M	2000
A	35	19	1351900Z	LIQUOR	MONO A/35 CARTON STAPLES 19 MM 2M	2000
A	35	22	1332200Z	LIQUOR	A/35 CARTON STAPLES 22MM LIQUOR 2M	2000
SW7437	35	15	SW743715Z	LIQUOR	SW7437 CARTON STAPLES 15MM LIQUOR 2.4M	2400
SW7437	35	19	SW743719Z	LIQUOR	SW7437 CARTON STAPLES 19MM LIQUOR 2.4M	2400
SW7437	35	22	SW743722Z	LIQUOR	SW7437 CARTON STAPLES 22MM LIQUOR 2.4M	2400
SW9040	35	19	SW904019Z	LIQUOR	SW9040 CARTON STAPLES 19MM LIQUOR 2M	2000
SW9040	35	22	SW904022Z	LIQUOR	SW9040 CARTON STAPLES 22MM LIQUOR 2M	2000


## Packaging Staples (Page 12-16)




12.7mm Crown




12.7mm Crown




10mm Crown



10mm Crown




10.7mm Crown



STAPLE FAMILY	CROWN WIDTH	LENGTH	SKU	FINISH	DESCRIPTION	QUANTITY PER BOX
SB5019	12.7	10	SB501910Z	GALV	SB5019 STAPLE 10MM GALV 8M	8000
SB5019	12.7	15	SB501915Z	GALV	SB5019 STAPLE 15MM GALV 4M	4000
SB103020	12.7	10	SB10302010Z	GALV	SB103020 STAPLE 10MM GALV 2.9M	2900
SB103020	12.7	12	SB10302012Z	GALV	SB103020 STAPLE 12MM GALV 2.1M	2100
SB103020	12.7	15	SB10302015Z	GALV	SB103020 STAPLE 15MM GALV 2.5M	2500
STCR2619	10	6	STCR26191/4	GALV	STCR2619 STAPLE 1/4-6MM GALV 5M	5000
STCR2619	10	8	STCR26195/16	GALV	STCR2619 STAPLE 9/16-8MM GALV 5M	5000
STCR2619	10	10	STCR26193/8	GALV	STCR2619 STAPLE 3/8-10MM GALV 5M	5000
STCR2619	10	12	STCR26191/2	GALV	STCR2619 STAPLE 1/2-12MM GALV 5M	5000
STCR5019	10	6	STCR501906AL	ALU	STCR5019 STAPLE 6MM ALU 5M	5000
STCR5019	10	6	STCR501906Z	GALV	STCR5019 STAPLE 6MM GALV 5M	5000
STCR5019	10	6	STCR50191/4-1M	GALV	STCR5019 STAPLE 1/4-06MM GALV 1M	1000
STCR5019	10	8	STCR501908Z	GALV	STCR5019 STAPLE 8MM GALV 5M	5000
STCR5019	10	10	STCR501910Z	GALV	STCR5019 STAPLE 10MM GALV 5M	5000
STCR5019	10	10	STCR50193/8-1M	GALV	STCR5019 STAPLE 3/8-10MM GALV 1M	1000
STCR5019	10	12	STCR50191/2-1M	GALV	STCR5019 STAPLE 1/2-12MM GALV 1M	1000
STCR5019	10	12	STCR501912Z	GALV	STCR5019 STAPLE 12MM GALV 5M	5000
STCR5019	10	14	STCR501914Z	GALV	STCR5019 STAPLE 14MM GALV 5M	5000
BTA	10.7	6	BTA704-5C	GALV	BTA STAPLE 6MM GALV 5M FITS: BHT, PHT, TR60-100	5000
BTA	10.7	8	BTA705-5C	GALV	BTA STAPLE 8MM GALV 5M FITS: BHT, PHT, TR60-100	5000
BTA	10.7	10	BTA706-5C	GALV	BTA STAPLE 10MM GALV 5M FITS: BHT, PHT, TR60-100	5000
BTA	10.7	12	BTA708-5C	GALV	BTA STAPLE 12MM GALV 5M FITS: BHT, PHT, TR60-100	5000



25mm Crown



## ESD-450S2P (Page 15) & Walking Stick Models (Page 17)



**AT****Bostitch Österreich**

Stanley Black & Decker Austria GmbH  
 Oberlaaer Strasse 248, 1230 Wien  
 ÖSTERREICH  
 T: +43 1 66 11 6 0  
[bostitch.de@sbdinc.com](mailto:bostitch.de@sbdinc.com)  
[www.bostitch.at](http://www.bostitch.at)

**BE NL****Bostitch Benelux**

Stanley Black & Decker Belgium BVBA  
 p/a Egide Walschaertsstraat nr. 16  
 2800 Mechelen  
 BELGIË  
 Tel: +32 15 47 38 00  
[bostitch.benelux@sbdinc.com](mailto:bostitch.benelux@sbdinc.com)  
[www.stanley-bostitch.be](http://www.stanley-bostitch.be)  
[www.stanley-bostitch.nl](http://www.stanley-bostitch.nl)

**CH****Bostitch Schweiz**

Stanley Works (Europe) GmbH  
 Sitz: Dübendorf  
 In der Luberzen 42, 8902 Urdorf  
 SCHWEIZ  
 Tel: +41 (0)44 755 60 70  
[www.bostitch.ch](http://www.bostitch.ch)

**CZ SK****Stanley Black & Decker Czech Republic s.r.o.**

Türkova 5b, 149 00 Praha 4 - Chodov  
 ČESKÁ REPUBLIKA  
 Tel. +420 602 745440  
[petr.popovsky@sbdinc.com](mailto:petr.popovsky@sbdinc.com)  
[www.bostitch.cz](http://www.bostitch.cz)

**DE****Bostitch Deutschland**

Stanley Black & Decker Deutschland GmbH  
 Black-&-Decker Str. 40  
 65510 Idstein  
 DEUTSCHLAND  
 Tel: +49 (0) 6126 21-2985  
[bostitch.de@sbdinc.com](mailto:bostitch.de@sbdinc.com)  
[www.stanley-bostitch.de](http://www.stanley-bostitch.de)

**ES PT****Stanley Black & Decker Ibérica SLU**

Parque de Negocios "Mas Blau"  
 Edificio Muntadas  
 C/ Bergueda n. 1 Of. A6  
 08820 El Prat de Llobregat  
 Barcelona,  
 ESPAÑA  
 Tel: +34 93 217 65 02  
[iberia.bostitch@sbdinc.com](mailto:iberia.bostitch@sbdinc.com)  
[www.bostitch.es](http://www.bostitch.es)

**FR****Bostitch France**

Stanley Black & Decker France SAS  
 20, rue Gustave Eiffel  
 91420 MORANGIS  
 FRANCE  
 Tél. : 01 69 10 80 20  
[adv-bostitch@sbdinc.com](mailto:adv-bostitch@sbdinc.com)  
[www.bostitch.fr](http://www.bostitch.fr)

**GB****Bostitch UK**


210 Bath Road  
 Slough  
 SL1 3YD  
 ENGLAND  
 Tel: +44 (0)870 1 630 630  
[bostitchuksales@sbdinc.com](mailto:bostitchuksales@sbdinc.com)  
[www.bostitch.co.uk](http://www.bostitch.co.uk)

**IT****Stanley Black & Decker Italia S.r.l.**

Via Energy Park 6  
 20871 Vimercate (MB)  
 ITALIA  
 Tel: +39 039 9590.205  
 Fax: +39 039 9590.312  
[bostitchitaly@stanleyworks.com](mailto:bostitchitaly@stanleyworks.com)  
[www.bostitch.it](http://www.bostitch.it)

**PL****Stanley Black & Decker Polska Sp. z o.o.**

Ul. Prosta 68  
 00-838 Warszawa  
 POLSKA  
 Tel.: +48 22 464 2735  
[sales.bostitch@sbdinc.com](mailto:sales.bostitch@sbdinc.com)  
[www.bostitch.pl](http://www.bostitch.pl)



Authorised distributor

**TOOL TECHNICAL DATA**

Model	Weight	Magazine Capacity	Vibration	LPA 1sd	Noise LWA 1sd	LPA 1s, 1m
DSA-3519-U	2.81 kg	108	<2.5 ms <sup>2</sup>	77.4 dB	88.6 dB	-
DSA-3522-U	2.81 kg	108	<2.5 ms <sup>2</sup>	77.4 dB	88.6 dB	-
DS-3219-E	2.45 kg	120	<2.5 ms <sup>2</sup>	82.1 dB	88.4 dB	75.4 dB
DS-3519-E	2.45 kg	100	<2.5 ms <sup>2</sup>	82.1 dB	88.4 dB	75.4 dB
DS-3522-E	2.45 kg	100	<2.5 ms <sup>2</sup>	82.1 dB	88.4 dB	75.4 dB
DS-SW19-E	2.45 kg	100	<2.5 ms <sup>2</sup>	82.1 dB	88.4 dB	75.4 dB
DS-SW22-E	2.45 kg	100	<2.5 ms <sup>2</sup>	82.1 dB	88.4 dB	75.4 dB
D31AD-E	6.0 kg	100	<2.5 ms <sup>2</sup>	89 dB	93 dB	80 dB

Model	Weight	Magazine Capacity	Vibration	LPA 1sd	Noise LWA 1sd	LPA 1s, 1m
RAB-19-E	2.4 kg	1000	<2.5 ms <sup>2</sup>	84.9 dB	89 dB	76 dB
RAB-22-E	2.4 kg	1000	<2.5 ms <sup>2</sup>	84.9 dB	89 dB	76 dB
D62ADC-E	2.5 kg	1000	<2.5 ms <sup>2</sup>	77.7 dB	84.9 dB	71.9 dB
JB600	1.09 kg	84	<2.5 ms <sup>2</sup>	77 dB	95.8 dB	84.6 dB
P51-5B-E	2.04 kg	168	3.75 ms <sup>2</sup>	77.7 dB	85 dB	72 dB
P51-10B-E	2.04 kg	100	3.651 ms <sup>2</sup>	77.5 dB	86.3 dB	73.3 dB
ESD-450S2P	3.86 kg	100	<2.5 ms <sup>2</sup>	100.98 dB	107.36 dB	93.06 dB
438S2-1-WS	2.08 kg	100	<2.5 ms <sup>2</sup>	91.8 dB	97.6 dB	84.6 dB

All tool data shown is for comparative purposes only. Full Health &amp; Safety technical data is available on request.